


De Luxe Edition 460 UFe

www.hobby-caravan.de



Overall lengt	h	6.626 mm
Technically p gross weight	ermissible	1.350 kg
Total width		2.300 mm
Bed spaces for	or adults	4
Bed spaces for	or children	0
?Supe	r Slim Tower	? refrigerator

Technical data	
	460 UFe
Number of axles	1
Tyre size	195 / 70 R 14 XL
Overall length	6.626 mm
Body length	5.449 mm
Overall width / internal width	2.300 / 2.172 mm
Overall height / Interior headroom	2.617 / 1.950 mm
Maximum technically permissible laden mass (MTPLM)	1.350 kg
Mass in running order (MIRO)	1.206 kg
Payload	144 kg
Minimum pay load	94 kg
Technically possible load uprated to	1.500 kg
Payload after maximum load uprating	282 kg
Body wall thickness (floor / roof / wall)	37 / 31 / 31 mm
Awning Size- A measurement	9.220 mm
Number of berths (adult / child)	4
Bed size, double bed (length x width)	1.960 x 1.385 / 1.095 mm
Bed size, after converting dinette seating (length x width)	2.038 x 1.369 / 1.304 mm
12v Battery system	Front centre
Roof-mounted air conditioning unit	Seating area
TV bracket	Wardrobe / bed
Fresh water tank, city water connection, optional	Rear right
External Gas Connection	Rear right

External socket	Rear right
Sound system (loudspeaker-pair 1 / -pair 2 / radio)	Rear / front / rear
THETFORD Locker door with center lock, lockable	Front left
THETFORD Locker door with center lock, lockable (optional)	Rear left
Number of 230-volt plug sockets (single / double)	4 / 2

HobbyKomplett
Chassis/Safety
Stabiliser hitch WINTERHOFF WS 3000
Overrun brake KNOTT ANS with automatic adjustment
Jockey wheel
A frame cover
One-key locking system
Integrated 3rd brake light
Rear Fog light
Wheel shock absorbers
Puncture repair Kit
Heavy-duty corner steadies
Load indicator on jockey wheel
Licensed for up to 100kph
Load up-/downrating
Chassis 1.350 kg
Rims
Steel rims, silver, with wheel trims
Window
Hinged window, double-glazed and tinted
Front window with fully integrated pleated window blind and fly screen
Combi-cassette blinds with roller flyscreen for all windows (except washroom)
Body
Rooflight DOMETIC-SEITZ Midi-Heki 700 x 500 mm with pleated blind and flyscreen in living area
Rooflight DOMETIC-SEITZ Mini-Heki 400 x 400 mm with pleated blind and flyscreen in sleeping area
One-piece entrance door, extra wide, with triple-point locking, window, waste bin, compartments and pleated fly screen on the inside of the door frame
Grab handle
Entrance step
Integrated awning rail
Awning rail rain deflector, above front & rear windows
Wheel arches, thermally insulated
Wheel arch spat with integrated channel rail for draught skirt
LED awning light
Gas box
THETFORD Locker door with center lock, lockable
Living area

Metal lift table leg
Wardrobe with LED lighting
Wall units with plenty of storage space and soft-close doors
Storage compartment under seating area
Furniture finish
Hamilton Maple light / Anthrazite
Upholstery combinations
Avus
Kitchen
Dometic Super Slim Tower refrigerator, 150 litres, incl. removable 15-litre freezer compartment
Stainless steel hob / sink combination with 3-burner hob, electric ignition and split glass cover
Generously sized, fully-extendable drawers with soft-close and push lock mechanisms
Kitchen blind with built-in plug sockets and LED light
Cutlery drawer insert
Sleeping area
Double bed
Sprung mattresses on single, double and island beds
Gas struts to assist lifting the bed frame, for double and island beds
Bathroom
Compact washroom with integrated shower and external washbasin
Cassette toilet THETFORD
Hinged window with frosted glass effect
Water / gas / electricity
Waste water tank, 24 litres, with wheels
Fresh water tank, 25 litres
Submersible pump
Gas regulator with over-pressure protection (DIN EN 12 864) and pipe connection
Gas shut off valves in kitchen unit
Control panel for lighting system and water level indicator
Separate light switch for children
Electronically controlled 12-volt / 350 VA power supply
Earth fault circuit breaker
Aerial socket with co-axial cable in living area
13-pin towing vehicle connector JAEGER
Lighting
Ambient lighting, design dependent on model
Corner shelves with lighting in seating area, design dependent on model
LED Reading lights that change colour, can be dimmed in three stages, in seating area
Swan neck lamps in sleeping area
LED lighting in washroom
Heating / Air conditioning
Heating system TRUMA S-3004 with blown air (12volt fan)

Chassis/Safety	
Spare wheel with holder instead of tyre repair set, underfloor mounting	26,0 kg
Stabilisation system KNOTT ETS Plus	5,7 kg
WINTERHOFF ?ROBSTOP? Hitchlock	3,0 kg
Load up-/downrating	
Increased load capacity to 1.500 kg, single axle units up to Model 560	11,7 kg
Rims	
Alloy rims, silver, up to Model 560	
Alloy rims, black, polished, up to Model 560	
Body	
Roof mounted awning THULE OMNISTOR 6200, length 350 cm, pull-out depth 250 cm	30,0 kg
A frame bicycle rack THULE for 2 bicycles, max. payload 60 kg	10,0 kg
Rear bicycle rack THULE for 2 bicycles, max. payload 40 kg	7,5 kg
THETFORD Locker door with center lock, lockable (optional)	0,5 kg
Living area	
Fixed table with single leg	8,0 kg
Romovable habitation carpets	10,0 kg
Upholstery combinations	
Taiga	
Patch	
Torino	
Jawa	
Kentucky	
Vermont	
Capri	
Kitchen	
Oven THETFORD with electric ignition and interior light, 36 litres	15,0 kg
Extractor hood DOMETIC incl. Hobby 10-stage speed control	3,0 kg
DOMETIC 20 litre Microwave	12,0 kg
Sleeping area	
Cold-foam mattress, 7-zones and slatted bed base for double bed and island bed	2,9 kg
Bedspread	1,5 kg
Bathroom	
Shower tap and shower curtain for washroom (e washroom models)	2,8 kg
Window blind incl. Fly screen for washroom	1,5 kg
Retractable Clothes line in the shower cubicle	0,5 kg
Water / gas / electricity	
Fresh water tank, 50 litres	28,0 kg
TFT control panel for lighting system and tank, incl. CI-BUS	0,1 kg

External socket, incl. 230-volt output, satellite & TV connection	0,4 kg
7 / 13-Pin adapter for tow vehicle electrics	0,3 kg
City water connection (fixed water connection)	0,5 kg
External Gas Connection	1,5 kg
TRUMA "electro boiler"- 14 litres, only in conjunction with 50-litre water tank (locker door can be removed)	15,0 kg
12v Battery system incl. battery charger with booster, battery, battery sensor and battery case	29,0 kg
Wiring for 12v battery system incl. charger with booster, battery sensor and battery case (Battery not included- dealer supply)	2,8 kg
Hobby-Connect, remote control for on-board technology using app	0,6 kg
Wireless remote control for the lighting system with one handset	0,3 kg
Smoke detector	0,2 kg
Dual USB charger socket	
Heating / Air conditioning	
Heating / Air conditioning TRUMA Ultraheat - additional electric heater for S heaters incl. CI-BUS	2,0 kg
TRUMA Ultraheat - additional electric heater for S heaters incl.	2,0 kg 4,0 kg
TRUMA Ultraheat - additional electric heater for S heaters incl. CI-BUS	
TRUMA Ultraheat - additional electric heater for S heaters incl. CI-BUS Underfloor heating up to Model 540	4,0 kg
TRUMA Ultraheat - additional electric heater for S heaters incl. CI-BUS Underfloor heating up to Model 540 Heating system TRUMA ISOTHERM up to 540 Roof-mounted air conditioning unit DOMETIC FreshJet incl. CI-BUS,	4,0 kg 3,0 kg
TRUMA Ultraheat - additional electric heater for S heaters incl. CI-BUS Underfloor heating up to Model 540 Heating system TRUMA ISOTHERM up to 540 Roof-mounted air conditioning unit DOMETIC FreshJet incl. CI-BUS, with heating function, without lighting, 2,2 KW	4,0 kg 3,0 kg 32,0 kg
TRUMA Ultraheat - additional electric heater for S heaters incl. CI-BUS Underfloor heating up to Model 540 Heating system TRUMA ISOTHERM up to 540 Roof-mounted air conditioning unit DOMETIC FreshJet incl. CI-BUS, with heating function, without lighting, 2,2 KW Pre wired for roof-mounted air conditioning unit	4,0 kg 3,0 kg 32,0 kg
TRUMA Ultraheat - additional electric heater for S heaters incl. CI-BUS Underfloor heating up to Model 540 Heating system TRUMA ISOTHERM up to 540 Roof-mounted air conditioning unit DOMETIC FreshJet incl. CI-BUS, with heating function, without lighting, 2,2 KW Pre wired for roof-mounted air conditioning unit Multimedia Articulated TV bracket incl. required connections, without video	4,0 kg 3,0 kg 32,0 kg 1,5 kg
TRUMA Ultraheat - additional electric heater for S heaters incl. CI-BUS Underfloor heating up to Model 540 Heating system TRUMA ISOTHERM up to 540 Roof-mounted air conditioning unit DOMETIC FreshJet incl. CI-BUS, with heating function, without lighting, 2,2 KW Pre wired for roof-mounted air conditioning unit Multimedia Articulated TV bracket incl. required connections, without video cables (Cinch)	4,0 kg 3,0 kg 32,0 kg 1,5 kg 2,0 kg
TRUMA Ultraheat - additional electric heater for S heaters incl. CI-BUS Underfloor heating up to Model 540 Heating system TRUMA ISOTHERM up to 540 Roof-mounted air conditioning unit DOMETIC FreshJet incl. CI-BUS, with heating function, without lighting, 2,2 KW Pre wired for roof-mounted air conditioning unit Multimedia Articulated TV bracket incl. required connections, without video cables (Cinch) Sattelite system KATHREIN CAP 650 inc. TWIN-LNB	4,0 kg 3,0 kg 32,0 kg 1,5 kg 2,0 kg 15,0 kg