


DE LUXE 495 UL



| | |
|--------------------------------------|----------|
| Overall length | 7.125 mm |
| Total width | 2.300 mm |
| Technically permissible gross weight | 1.500 kg |

TECHNICAL DATA

| | | | |
|---|------------------|---|--------------------------|
| Model | 495 UL | Awning circumference | 9.710 mm |
| Number of axles | 1 | Beading (straight edge) | 3.954 |
| Tyre size | 185 R 14 C | Number of berths (adults / children) | 4 |
| Overall length | 7.125 mm | Bed size, single beds (length x width) | 2 x 1.930 x 820 mm |
| Body length | 5.935 mm | Bed size, seating area bed conversion (length x width) | 2.038 x 1.550 / 1.050 mm |
| Overall width / Inside width | 2.300 / 2.172 mm | Autonomy package | Front left |
| Overall height / Interior headroom | 2.635 / 1.950 mm | Roof-mounted air conditioning unit | Centre |
| Maximum technically permissible laden mass | 1.500 kg | TV bracket | Seating area / wardrobe |
| Mass in running order | 1.278 kg | Fresh water tank; city water connection, optional | Rear left |
| Payload | 222 kg | External gas socket | Front right |
| Technically possible increase in load capacity to | 1.750 kg | Exterior awning socket | Rear right |
| Payload after maximum increase in load capacity | 512 kg | Locker door MAXI, THETFORD with central locking, 1,000 x 300 mm, lockable | Front right |
| Technically possible decrease in load capacity to | 1.400 kg | Locker door, THETFORD with central locking, 752 x 310 mm, lockable (optional) | Front left |
| Body wall thickness (floor / roof / wall) | 37 / 31 / 31 mm | Number of 230 V power sockets (single / double) | 4 / 1 |

HOBBYKOMPLETT

Chassis / Safety: Stabiliser hitch KNOTT, Overrun brake KNOTT ANS with automatic adjustment, Jockey wheel, Drawbar cover, One-key locking system, Integrated 3rd brake light, Rear fog light, Wheel shock absorbers, Tyre repair set, Heavy-duty supports, Load indicator on the jockey wheel, Licensed for up to 100 kph | Wheel Rims: Steel rims, silver with wheel covers | Windows: Hinged window, can be opened, double-glazed and tinted, Front window with fully integrated pleated blackout blind and insect screen, Combi Cassette with pleated blind and fly screen, for all windows (excluding washroom) | Body: Rooflight DOMETIC SEITZ, Midi-Heki 700 x 500 mm, with pleated blind and fly screen in living area, Rooflight DOMETIC SEITZ, Mini-Heki 400 x 400 mm, with pleated blind and fly screen in sleeping area, Rooflight DOMETIC SEITZ, Micro-Heki 280 x 280 mm, with pleated blind and fly screen in washroom, One-piece entrance door, extra wide with triple-point locking, window, waste bin, compartments and pleated insect screen in door frame, design

Living area: Wall units with plenty of storage space and soft-close doors, Compartment under seating area | Furniture finish: Olmo Pavarotti / White | Upholstery combinations: Lago | Kitchen: Super Slim Tower refrigerator DOMETIC, 150 litres, including removable 15-litre freezer compartment, absorption technology, Stainless steel hob / sink combination with 3-burner hob, electric ignition and split glass cover, Drawers, generously sized, fully extendable, with soft-close and push lock mechanisms, Kitchen window roller blind with integrated power sockets and kitchen light, Cutlery insert, Towel rail | Sleeping area: Single beds, Sprung mattresses on single, double and queen-size beds, Bed lift for slatted frame on single beds, mechanical | Washroom: Compact washroom with washbasin and toilet, design dependent on model, Cassette toilet THETFORD | Water / gas / electricity: Waste water tank, 23.5 litres, rollable, Fresh water tank, 25 litres, Submersible pump, Gas regulator with over-pressure protection (DIN EN 12 864) and hose line, Gas control taps in kitchen unit, Control panel for

dependent on model, Grab handle, Entrance step, Integrated awning rail, Awning rail rain deflector with water drainage, front / rear, Wheel arches, thermally insulated, Wheel arch guard with rubber lip for draught skirt, LED awning light, Gas locker, accommodates 2 x 11 kg bottles, Locker door MAXI, THETFORD with central locking, 1,000 x 300 mm, lockable, Winter vents for seating area, lockers and beds | Living area: Metal lift table, Wardrobe with interior light |

lighting system and tank display, Light switch for children, Electronically controlled 12 V / 350 VA power supply, Ground fault circuit breaker, Antenna socket with co-axial cable in living area, Passenger vehicle connector JAEGER, 13-pole, Smoke alarm | Smart Home: HOBBY CONNECT, controls for on-board technology via Hobby control panel and Bluetooth using app | LED lighting: Corner shelves with lighting in seating area, design dependent on model, Reading lights that change colour, can be dimmed in three stages, in seating area, Swan neck lamps in sleeping area | Heating / air conditioning: Heating system TRUMA S-3004 with warm air unit and 12 V fan, Boiler TRUMA for hot water supply |

Chassis / Safety

| | |
|--|--------|
| Spare wheel with holder, instead of tyre repair set, underfloor mounting | 26 kg |
| Stabilisation system KNOTT ETS Plus | 5,7 kg |
| Hitch lock anti-theft device KNOTT "KS 25" | 0,3 kg |

Wheel Rims

Alloy rims silver, up to model 560

Alloy rims black, polished, up to model 560

Body

| | |
|---|--------|
| Rear lights with dynamic indicator | 1 kg |
| Roof awning THULE OMNISTOR 6300, width 350 cm, pull-out depth 250 cm | 29 kg |
| Bicycle rack THULE, for drawbar, 2 bicycles, loading capacity 60 kg | 10 kg |
| Bicycle rack THULE, for rear, 2 bicycles, loading capacity 40 kg | 7,5 kg |
| Locker door, THETFORD with central locking, 752 x 310 mm, lockable (optional) | 0,5 kg |

Living area

| | |
|--|-------|
| Single-post lift table with innovative, one-handed operation | |
| Carpet in the living area, removable | 10 kg |

Upholstery combinations

Lago including decorative set

Sari including decorative set

Sari

Kitchen

| | |
|---|------|
| Extractor hood DOMETIC including Hobby 10-stage speed control | 3 kg |
|---|------|

Sleeping area

| | |
|---|--------|
| Bed extension for single beds including cushion | 5 kg |
| Cold foam mattresses, with 7 zones and slatted bed base for single beds | 2,9 kg |
| Bedspread | 1,5 kg |

Water / gas / electricity

| | |
|---|--------|
| Fresh water tank, 47 litres | 25 kg |
| Gas pressure regulator TRUMA DuoControl including automatic changeover, crash sensor and gas filter | 2,2 kg |
| Smart Trailer System (vehicle levelling and fuel level indicator via E-Trailer app) | 0,8 kg |
| Exterior awning socket, including 230 V output, satellite / TV connection | 0,4 kg |
| Adapter 7/13-pole for passenger vehicle connecting cable | 0,3 kg |
| City water connection | 0,5 kg |
| External gas socket | 1,5 kg |
| Electric boiler TRUMA, 14 litres (locker door can be removed) | 15 kg |
| Water pump with additional switch | 0,4 kg |
| Autonomy package including charge controller with booster, battery, battery sensor and battery case | 29 kg |
| Pre wiring for autonomy package including charge controller with booster, battery sensor and battery case | 2,8 kg |
| Carbon monoxide detector | 0,5 kg |
| Dual USB charging socket | 0,1 kg |

Smart Home

| | |
|--|--------|
| HOBBY-CONNECT+, remote control for on-board technology via mobile communications using app | 0,6 kg |
|--|--------|

LED lighting

| | |
|---|--------|
| Ambient lighting, design dependent on model | 0,3 kg |
|---|--------|

Heating / air conditioning

| | |
|---|--------|
| Auxiliary electric heater TRUMA Ultraheat including CI-BUS | 2 kg |
| Underfloor heating up to model 540 | 4 kg |
| Roof-mounted air conditioning unit DOMETIC FreshJet including CI-BUS, with heating function, without lighting, 2.2 KW | 32 kg |
| Pre wiring for roof-mounted air conditioning unit | 1,5 kg |

Multimedia

| | |
|---|--------|
| Articulated TV bracket including required connections, without video cables (Cinch) | 2 kg |
| TV aerial mast TELECO | 0,9 kg |