

Overall length	7.124 mm
Technically permissible gross weight	1.500 kg
Total width	2.300 mm
Bed spaces for adults	4
Bed spaces for children	0



\*Super Slim Tower? refrigerator

### Technical data

	495 UL
Number of axles	1
Tyre size	185 R 14 C
Overall length	7.124 mm
Body length	5.932 mm
Overall width / internal width	2.300 / 2.172 mm
Overall height / Interior headroom	2.623 / 1.950 mm
Maximum technically permissible laden mass (MTPLM)	1.500 kg
Mass in running order (MIRO)	1.280 kg
Payload	220 kg
Minimum pay load	99 kg
Technically possible load uprated to	1.750 kg
Payload after maximum load uprating	441 kg
Technically possible load downrated to	1.450 kg
Body wall thickness (floor / roof / wall)	37 / 31 / 31 mm
Awning Size- A measurement	9.710 mm
Number of berths (adult / child)	4
Bed size, single beds (length x width)	2 x 1.940 x 830 mm
Bed size, after converting dinette seating (length x width)	2.038 x 1.589 / 1.061 mm
12v Battery system	Front left
Roof-mounted air conditioning unit	Seating area / kitchen
TV bracket	Wardrobe / seating area
Fresh water tank, city water connection, optional	Rear left

External Gas Connection	Front right
External socket	Front right
Sound system (loudspeaker-pair 1 / -pair 2 / radio)	Rear / front / rear
THETFORD Locker door with center lock, lockable	Front right
THETFORD Locker door with center lock, lockable (optional)	Front left
Number of 230-volt plug sockets (single / double)	4 / 1

## HobbyKomplett

### Chassis/Safety

Stabiliser hitch WINTERHOFF WS 3000

Overrun brake KNOTT ANS with automatic adjustment

Jockey wheel

A frame cover

One-key locking system

Integrated 3rd brake light

Rear Fog light

Wheel shock absorbers

Puncture repair Kit

Heavy-duty corner steadies

Load indicator on jockey wheel

Licensed for up to 100kph

### Load up-/downrating

Chassis 1.500 kg

### Rims

Steel rims, silver, with wheel trims

### Window

Hinged window, double-glazed and tinted

Front window with fully integrated pleated window blind and fly screen

Combi-cassette blinds with roller flyscreen for all windows (except washroom)

### Body

Rooflight DOMETIC-SEITZ Midi-Heki 700 x 500 mm with pleated blind and flyscreen in living area

Rooflight DOMETIC-SEITZ Mini-Heki 400 x 400 mm with pleated blind and flyscreen in sleeping area

Rooflight, 400 x 400 mm, with fly screen in washroom

One-piece entrance door, extra wide, with triple-point locking, window, waste bin, compartments and pleated fly screen on the inside of the door frame

Grab handle

Entrance step

Integrated awning rail

Awning rail rain deflector, above front & rear windows

Wheel arches, thermally insulated

Wheel arch spat with integrated channel rail for draught skirt

LED awning light

Gas box

THETFORD Locker door with center lock, lockable

#### **Living area**

Metal lift table leg

Wardrobe with LED lighting

Wall units with plenty of storage space and soft-close doors

Storage compartment under seating area

#### **Furniture finish**

Olmo Pavarotti / Uni Beige matt

#### **Upholstery combinations**

Patch

#### **Kitchen**

Dometic Super Slim Tower refrigerator, 150 litres, incl. removable 15-litre freezer compartment

Stainless steel hob / sink combination with 3-burner hob, electric ignition and split glass cover

Generously sized, fully-extendable drawers with soft-close and push lock mechanisms

Kitchen blind with built-in plug sockets and LED light

Cutlery drawer insert

Towel rail

#### **Sleeping area**

Single beds

Sprung mattresses on single, double and island beds

Bed lift for slatted frame, manual lift (no gas strut)

#### **Bathroom**

Compact washroom with washbasin and toilet, design dependent on model

Cassette toilet THETFORD

#### **Water / gas / electricity**

Waste water tank, 24 litres, with wheels

Fresh water tank, 25 litres

Submersible pump

Gas regulator with over-pressure protection (DIN EN 12 864) and pipe connection

Gas shut off valves in kitchen unit

Control panel for lighting system and water level indicator

Separate light switch for children

Electronically controlled 12-volt / 350 VA power supply

Earth fault circuit breaker

Aerial socket with co-axial cable in living area

13-pin towing vehicle connector JAEGER

#### **Lighting**

Corner shelves with lighting in seating area, design dependent on model

LED Reading lights that change colour, can be dimmed in three stages, in seating area

Swan neck lamps in sleeping area

#### **Heating / Air conditioning**

Heating system TRUMA S-3004 with blown air (12volt fan)

TRUMA Therme 5 litre water heater

Barge board ventilation system for seating area, lockers and beds

### Chassis/Safety

Spare wheel with holder instead of tyre repair set, underfloor mounting 26,0 kg

Stabilisation system KNOTT ETS Plus 5,7 kg

WINTERHOFF ?ROBSTOP? Hitchlock 3,0 kg

### Load up-/downrating

Reduced load capacity to 1.450 kg, without technical change

Increased load capacity to 1.550 kg, without technical change

Increased load capacity to 1.600 kg, single axel units up to Model 560

Increased load capacity to 1.500 kg, single axle units up to Model 560 29,0 kg

### Rims

Alloy rims, silver, up to Model 560

Alloy rims, black, polished, up to Model 560

### Body

Roof mounted awning THULE OMNISTOR 6200, length 350 cm, pull-out depth 250 cm 30,0 kg

A frame bicycle rack THULE for 2 bicycles, max. payload 60 kg 10,0 kg

Rear bicycle rack THULE for 2 bicycles, max. payload 40 kg 7,5 kg

THETFORD Locker door with center lock, lockable (optional) 0,5 kg

### Living area

Fixed table with single leg 8,0 kg

Romovable habitation carpets 10,0 kg

### Upholstery combinations

Taiga

Avus

Torino

Jawa

Kentucky

Vermont

Capri

### Kitchen

Oven THETFORD with electric ignition and interior light, 36 litres 15,0 kg

Extractor hood DOMETIC incl. Hobby 10-stage speed control 3,0 kg

DOMETIC 20 litre Microwave 12,0 kg

### Sleeping area

Bed extension for single beds incl. additional cushion 5,0 kg

Cold-foam mattress, 7-zones and slatted bed base for single beds 2,9 kg

Bedspread 1,5 kg


### Water / gas / electricity

Fresh water tank, 50 litres 28,0 kg

TFT control panel for lighting system and tank, incl. CI-BUS 0,1 kg

External socket, incl. 230-volt output, satellite & TV connection	0,4 kg
7 / 13-Pin adapter for tow vehicle electrics	0,3 kg
City water connection (fixed water connection)	0,5 kg
External Gas Connection	1,5 kg
TRUMA "electro boiler"- 14 litres, only in conjunction with 50-litre water tank (locker door can be removed)	15,0 kg
12v Battery system incl. battery charger with booster, battery, battery sensor and battery case	29,0 kg
Wiring for 12v battery system incl. charger with booster, battery sensor and battery case (Battery not included- dealer supply)	2,8 kg
Hobby-Connect, remote control for on-board technology using app	0,6 kg
Wireless remote control for the lighting system with one handset	0,3 kg
Smoke detector	0,2 kg
Dual USB charger socket	
<b>Lighting</b>	
Ambient lighting, design dependent on model	0,3 kg
<b>Heating / Air conditioning</b>	
Heating system TRUMA VarioHeat Comfort, 3,7 kw	1,2 kg
TRUMA Ultraheat - additional electric heater for S heaters incl. CI-BUS	2,0 kg
Underfloor heating up to Model 540	4,0 kg
Heating system TRUMA ISOTHERM up to 540	3,0 kg
ALDE COMPACT 3020 HE- Wet heating and hot water system- incl. CI-BUS	41,5 kg
Roof-mounted air conditioning unit DOMETIC FreshJet incl. CI-BUS, with heating function, without lighting, 2,2 KW	32,0 kg
Pre wired for roof-mounted air conditioning unit	1,5 kg
<b>Multimedia</b>	
Articulated TV bracket incl. required connections, without video cables (Cinch)	2,0 kg
Sattelite system KATHREIN CAP 650 inc. TWIN-LNB	15,0 kg
Aerial TV mast TELECO	0,9 kg
Soundssystem BLAUPUNKT with DAB+	12,5 kg

## Impressions





---

© Hobby-Wohnwagenwerk, Ing. Harald Striewski GmbH, Harald-Striewski-Straße 15, 24787 Fockbek/Rendsburg