


DE LUXE 455 UF



Overall length	6.483 mm
Total width	2.300 mm
Technically permissible gross weight	1.350 kg

TECHNICAL DATA

Model	455 UF	Awning circumference	9.070 mm
Number of axles	1	Number of berths (adults / children)	4
Tyre size	195 / 70 R 14 XL	Bed size, double bed (length x width)	2.070 x 1.280 mm
Overall length	6.483 mm	Bed size, seating area bed conversion (length x width)	2.038 x 1.600 / 1.250 mm
Body length	5.302 mm	Autonomy package	Front left
Overall width / Inside width	2.300 / 2.172 mm	Roof-mounted air conditioning unit	Centre
Overall height / Interior headroom	2.628 / 1.950 mm	TV bracket	Seating area / wardrobe
Maximum technically permissible laden mass	1.350 kg	Fresh water tank; city water connection, optional	Rear left
Mass in running order	1.152 kg	External gas socket	Rear right
Payload	198 kg	Exterior awning socket	Front right
Technically possible increase in load capacity to	1.500 kg	Locker door THETFORD with central locking, 752 x 310 mm, lockable	Front right
Payload after maximum increase in load capacity	335 kg	Locker door THETFORD with central locking, 752 x 310 mm, lockable (optional)	Front left
Technically possible decrease in load capacity to	1.300 kg	Number of 230 V power sockets (single / double)	4 / 1
Body wall thickness (floor / roof / wall)	37 / 31 / 31 mm		

HOBBYKOMPLETT

Chassis / Safety: Stabiliser hitch KNOTT, Overrun brake KNOTT ANS with automatic adjustment, Jockey wheel, Drawbar cover, One-key locking system, Integrated 3rd brake light, Rear fog light, Wheel shock absorbers, Tyre repair set, Heavy-duty supports, Load indicator on the jockey wheel, Licensed for up to 100 kph |

Body: Rooflight DOMETIC SEITZ, Micro-Heki 280 x 280 mm, with pleated blind and fly screen in washroom, Rooflight DOMETIC SEITZ, Midi-Heki 700 x 500 mm, with pleated blind and fly screen in living area, One-piece entrance door, extra wide with triple-point locking, window, waste bin, compartments and pleated insect screen in door frame, design dependent on model, Grab handle, Entrance step, Integrated awning rail, Awning rail rain deflector with water drainage, front / rear, Wheel arches, thermally insulated, Wheel arch guard with rubber lip for draught skirt, LED awning light, Gas locker, accommodates 2 x 11 kg bottles, Locker door THETFORD with central locking, 752 x 310 mm, lockable |

Wheel Rims: Steel rims, silver with wheel covers |

Windows: Hinged window, can be opened, double-glazed and tinted, Front window with fully integrated pleated blackout blind

Living area: Compartment under seating area | **Furniture**

finish: Olmo Pavarotti / Uni Beige Matt | **Upholstery**

combinations: Patch | **Kitchen:** Refrigerator DOMETIC, 96 litres, including 9-litre freezer compartment, Stainless steel hob / sink combination with 3-burner hob, electric ignition and split glass cover, Drawers, generously sized, fully extendable, with soft-close and push lock mechanisms, Kitchen window roller blind with integrated power sockets and kitchen light, Cutlery insert, Towel rail | **Sleeping area:** Double bed, Sprung mattresses on single, double and queen-size beds, Bed lift for slatted frame with gas spring for double beds and queen-size beds | **Washroom:** Compact washroom with washbasin and toilet, design dependent on model, Cassette toilet THETFORD | **LED lighting:** Corner shelves with lighting in seating area, design dependent on model, Reading lights that change colour, can be dimmed in three stages, in seating area, Swan neck lamps in sleeping area | **Heating / air conditioning:** Heating system TRUMA S-3004 with warm air unit and 12 V fan, Boiler TRUMA for hot water supply, Winter vents for seating area, lockers and beds | **Water / gas / electricity:** Waste

and insect screen, Combi Cassette with pleated blind and fly screen, for all windows (excluding washroom) | **Living area:** Metal lift table, Wardrobe with interior light, Wall units with plenty of storage space and soft-close doors |

water tank, 23.5 litres, rollable, Fresh water tank, 25 litres, Submersible pump, Gas regulator with over-pressure protection (DIN EN 12 864) and hose line, Gas control taps in kitchen unit, Control panel for lighting system and tank display, Light switch for children, Electronically controlled 12 V / 350 VA power supply, Ground fault circuit breaker, Antenna socket with co-axial cable in living area, Passenger vehicle connector JAEGER, 13-pole, Smoke alarm |

Upholstery combinations

Sari

Patch including rose/yellow decorative set	1,3 kg
--	--------

Sari including rose/yellow decorative set	1,3 kg
---	--------

Body

Roof awning THULE OMNISTOR 6300, width 300 cm, pull-out depth 250 cm	26 kg
--	-------

Rear lights with dynamic indicator	1 kg
------------------------------------	------

Bicycle rack THULE, for drawbar, 2 bicycles, loading capacity 60 kg	10 kg
---	-------

Bicycle rack THULE, for rear, 2 bicycles, loading capacity 40 kg	7,5 kg
--	--------

Locker door THETFORD with central locking, 752 x 310 mm, lockable (optional)	0,5 kg
--	--------

Water / gas / electricity

Carbon monoxide detector	0,5 kg
--------------------------	--------

Gas pressure regulator TRUMA DuoControl including automatic changeover, crash sensor and gas filter	2,2 kg
---	--------

Fresh water tank, 47 litres	28 kg
-----------------------------	-------

Exterior awning socket, including 230 V output, satellite / TV connection	0,4 kg
---	--------

Adapter 7/13-pole for passenger vehicle connecting cable	0,3 kg
--	--------

City water connection	0,5 kg
-----------------------	--------

External gas socket	1,5 kg
---------------------	--------

Electric boiler TRUMA, 14 litres (locker door can be removed)	15 kg
---	-------

Water pump with additional switch	0,4 kg
-----------------------------------	--------

Autonomy package including charge controller with booster, battery, battery sensor and battery case	29 kg
---	-------

Pre wiring for autonomy package including charge controller with booster, battery sensor and battery case	2,8 kg
---	--------

Wireless remote control for the lighting system with one handset	0,3 kg
--	--------

Dual USB charging socket	
--------------------------	--

Smart Home

HOBBY CONNECT, controls for on-board technology via TFT control panel and Bluetooth using app	0,1 kg
---	--------

HOBBY-CONNECT+, remote control for on-board technology via mobile communications using app	0,6 kg
--	--------

Chassis / Safety

Hitch lock anti-theft device KNOTT "KS 25"	0,3 kg
Spare wheel with holder, instead of tyre repair set, underfloor mounting	26 kg
Stabilisation system KNOTT ETS Plus	5,7 kg

Wheel Rims

Alloy rims silver, up to model 560	
Alloy rims black, polished, up to model 560	

Living area

Single-post lift table	8 kg
Carpet in the living area, removable	10 kg

Kitchen

Extractor hood DOMETIC including Hobby 10-stage speed control	3 kg
---	------

Sleeping area

Bedsread	1,5 kg
----------	--------

LED lighting

Ambient lighting, design dependent on model	0,3 kg
---	--------

Heating / air conditioning

Auxiliary electric heater TRUMA Ultraheat including CI-BUS	2 kg
Underfloor heating up to model 540	4 kg
Roof-mounted air conditioning unit DOMETIC FreshJet including CI-BUS, with heating function, without lighting, 2.2 KW	32 kg
Pre wiring for roof-mounted air conditioning unit	1,5 kg

Multimedia

Articulated TV bracket including required connections, without video cables (Cinch)	2 kg
TV aerial mast TELECO	0,9 kg