


# DE LUXE 460 LU



Overall length	6.755 mm
Total width	2.300 mm
Technically permissible gross weight	1.350 kg

## TECHNICAL DATA

Model	460 LU
Number of axles	1
Tyre size	195 / 70 R 14 XL
Overall length	6.755 mm
Body length	5.574 mm
Overall width / Inside width	2.300 / 2.172 mm
Overall height / Interior headroom	2.628 / 1.950 mm
Maximum technically permissible laden mass	1.350 kg
Mass in running order	1.178 kg
Payload	172 kg
Technically possible increase in load capacity to	1.500 kg
Payload after maximum increase in load capacity	309 kg
Technically possible decrease in load capacity to	1.300 kg
Body wall thickness (floor / roof / wall)	37 / 31 / 31 mm

Awning circumference	9.340 mm
Number of berths (adults / children)	4
Bed size, single beds (length x width)	2.050 x 770; 1.900 x 770 mm
Bed size, seating area bed conversion (length x width)	2.038 x 1.550 / 1.100 mm
Autonomy package	Rear left
Roof-mounted air conditioning unit	Centre
TV bracket	Sideboard
Fresh water tank; city water connection, optional	Front left
External gas socket	Front right
Exterior awning socket	Rear right
Locker door MAXI, THETFORD with central locking, 1000 x 300 mm, lockable	Rear right
Locker door THETFORD with central locking, 752 x 310 mm, lockable (optional)	Rear left
Number of 230 V power sockets (single / double)	3 / 2

## HOBBYKOMPLETT

**Chassis / Safety:** Stabiliser hitch KNOTT, Overrun brake KNOTT ANS with automatic adjustment, Jockey wheel, Drawbar cover, One-key locking system, Integrated 3rd brake light, Rear fog light, Wheel shock absorbers, Tyre repair set, Heavy-duty supports, Load indicator on the jockey wheel, Licensed for up to 100 kph | **Body:** Rooflight DOMETIC SEITZ, Micro-Heki 280 x 280 mm, with pleated blind and fly screen in washroom, Rooflight DOMETIC SEITZ, Midi-Heki 700 x 500 mm, with pleated blind and fly screen in living area, Rooflight DOMETIC SEITZ, Mini-Heki 400 x 400 mm, with pleated blind and fly screen in sleeping area, One-piece entrance door, extra wide with triple-point locking, window, waste bin, compartments and pleated insect screen in door frame, design dependent on model, Grab handle, Entrance step, Integrated awning rail, Awning rail rain deflector with water drainage, front / rear, Wheel arches, thermally insulated, Wheel arch guard with rubber lip for draught skirt, LED awning light, Gas locker, accommodates 2 x 11 kg bottles, Locker door MAXI, THETFORD with central locking, 1,000 x 300 mm, lockable | **Wheel Rims:** Steel

**Living area:** Wall units with plenty of storage space and soft-close doors, Compartment under seating area | **Furniture finish:** Olmo Pavarotti / Uni Beige Matt | **Upholstery combinations:** Patch | **Kitchen:** Refrigerator DOMETIC, 96 litres, including 9-litre freezer compartment, Stainless steel hob / sink combination with 3-burner hob, electric ignition and split glass cover, Drawers, generously sized, fully extendable, with soft-close and push lock mechanisms, Kitchen window roller blind with integrated power sockets and kitchen light, Cutlery insert | **Sleeping area:** Single beds, Sprung mattresses on single, double and queen-size beds, Bed lift for slatted frame on single beds, mechanical | **Washroom:** Compact washroom with washbasin and toilet, design dependent on model, Cassette toilet THETFORD | **LED lighting:** Swan neck lamps in seating area, Swan neck lamps in sleeping area | **Heating / air conditioning:** Heating system TRUMA S-3004 with warm air unit and 12 V fan, Boiler TRUMA for hot water supply, Winter vents for seating area, lockers and beds | **Water / gas / electricity:** Waste water tank, 23.5 litres, rollable, Fresh water tank, 25 litres,

rims, silver with wheel covers | **Windows:** Hinged window, can be opened, double-glazed and tinted, Panoramic front window with fully integrated blackout blind and insect screen, Combi Cassette with pleated blind and fly screen, for all windows (excluding washroom) | **Living area:** Metal lift table, Wardrobe with interior light |

Submersible pump, Gas regulator with over-pressure protection (DIN EN 12 864) and hose line, Gas control taps in kitchen unit, Control panel for lighting system and tank display, Light switch for children, Electronically controlled 12 V / 350 VA power supply, Ground fault circuit breaker, Antenna socket with co-axial cable in living area, Passenger vehicle connector JAEGER, 13-pole, Smoke alarm |

---

## Upholstery combinations

Sari

Patch including rose/yellow decorative set	1,3 kg
--	--------

Sari including rose/yellow decorative set	1,3 kg
---	--------

## Body

Roof awning THULE OMNISTOR 6300, width 350 cm, pull-out depth 250 cm	29 kg
--	-------

Rear lights with dynamic indicator	1 kg
------------------------------------	------

Bicycle rack THULE, for drawbar, 2 bicycles, loading capacity 60 kg	10 kg
---	-------

Bicycle rack THULE, for rear, 2 bicycles, loading capacity 40 kg	7,5 kg
--	--------

Locker door THETFORD with central locking, 752 x 310 mm, lockable (optional)	0,5 kg
--	--------

## Water / gas / electricity

Carbon monoxide detector	0,5 kg
--------------------------	--------

Gas pressure regulator TRUMA DuoControl including automatic changeover, crash sensor and gas filter	2,2 kg
---	--------

Fresh water tank, 47 litres	28 kg
-----------------------------	-------

Exterior awning socket, including 230 V output, satellite / TV connection	0,4 kg
---	--------

Adapter 7/13-pole for passenger vehicle connecting cable	0,3 kg
--	--------

City water connection	0,5 kg
-----------------------	--------

External gas socket	1,5 kg
---------------------	--------

Electric boiler TRUMA, 14 litres (locker door can be removed)	15 kg
---	-------

Water pump with additional switch	0,4 kg
-----------------------------------	--------

Autonomy package including charge controller with booster, battery, battery sensor and battery case	29 kg
---	-------

Pre wiring for autonomy package including charge controller with booster, battery sensor and battery case	2,8 kg
---	--------

Wireless remote control for the lighting system with one handset	0,3 kg
--	--------

Dual USB charging socket	
--------------------------	--

## Smart Home

HOBBY CONNECT, controls for on-board technology via TFT control panel and Bluetooth using app	0,1 kg
---	--------

HOBBY-CONNECT+, remote control for on-board technology via mobile communications using app	0,6 kg
--	--------

## Chassis / Safety

Hitch lock anti-theft device KNOTT "KS 25"	0,3 kg
Spare wheel with holder, instead of tyre repair set, underfloor mounting	26 kg
Stabilisation system KNOTT ETS Plus	5,7 kg

## Wheel Rims

Alloy rims silver, up to model 560	
Alloy rims black, polished, up to model 560	

## Living area

Single-post lift table	8 kg
Carpet in the living area, removable	10 kg

## Kitchen

Extractor hood DOMETIC including Hobby 10-stage speed control	3 kg
---	------

## Sleeping area

Bedsread	1,5 kg
----------	--------

## LED lighting

Ambient lighting, design dependent on model	0,3 kg
---	--------

## Heating / air conditioning

Auxiliary electric heater TRUMA Ultraheat including CI-BUS	2 kg
Underfloor heating up to model 540	4 kg
Roof-mounted air conditioning unit DOMETIC FreshJet including CI-BUS, with heating function, without lighting, 2.2 KW	32 kg
Pre wiring for roof-mounted air conditioning unit	1,5 kg

## Multimedia

Articulated TV bracket including required connections, without video cables (Cinch)	2 kg
TV aerial mast TELECO	0,9 kg