



Overall length 7.271 mm

Technically permissible gross weight 1.500 kg

Total width 2.300 mm

Bed spaces for adults 4

Bed spaces for children 0



?Super Slim Tower? refrigerator

Technical data

| | 540 WLU |
|---|-----------------------------|
| Number of axles | 1 |
| Tyre size | 185 R 14 C |
| Overall length | 7.271 mm |
| Body length | 6.079 mm |
| Overall width / internal width | 2.300 / 2.172 mm |
| Overall height / Interior headroom | 2.625 / 1.950 mm |
| Maximum technically permissible laden mass (MTPLM) | 1.500 kg |
| Mass in running order (MIRO) | 1.326 kg |
| Payload | 174 kg |
| Minimum pay load | 101 kg |
| Technically possible load uprated to | 1.750 kg |
| Payload after maximum load uprating | 395 kg |
| Body wall thickness (floor / roof / wall) | 39 / 31 / 31 mm |
| Awning Size- A measurement | 9.860 mm |
| Number of berths (adult / child) | 4 |
| Bed size, single beds (length x width) | 1.830 x 800; 1.960 x 800 mm |
| Bed size, after converting dinette seating (length x width) | 2.038 x 1.257 / 1.251 mm |
| 12v Battery system | Centre right |
| Roof-mounted air conditioning unit | Sleeping |
| TV bracket | Refrigerator / bed |
| Fresh water tank, city water connection, optional | Centre left |
| External Gas Connection | Front right |

| | |
|---|----------------------|
| External socket | Centre right |
| Sound system (loudspeaker-pair 1 / -pair 2 / radio) | Rear / front / front |
| THETFORD Locker door with center lock, lockable | Rear right |
| Number of 230-volt plug sockets (single / double) | 6 / 2 |

HobbyKomplett

Chassis/Safety

| |
|---|
| Stabiliser hitch WINTERHOFF WS 3000 |
| Overrun brake KNOTT ANS with automatic adjustment |
| Jockey wheel |
| A frame cover |
| One-key locking system |
| Integrated 3rd brake light |
| Rear Fog light |
| Wheel shock absorbers |
| Puncture repair Kit |
| Heavy-duty corner steadies |
| Load indicator on jockey wheel |
| Licensed for up to 100kph |

Load up-/downrating

| |
|------------------|
| Chassis 1.500 kg |
|------------------|

Rims

| |
|--------------------------------------|
| Steel rims, silver, with wheel trims |
|--------------------------------------|

Window

| |
|---|
| Hinged window, double-glazed and tinted |
| Panoramic front window with fully integrated pleated blind and fly screen |
| Combi-cassette blinds with roller flyscreen for all windows (except washroom) |

Body

| |
|--|
| Rooflight DOMETIC-SEITZ Midi-Heki 700 x 500 mm with pleated blind and flyscreen in living area |
| Rooflight DOMETIC-SEITZ Mini-Heki 400 x 400 mm with pleated blind and flyscreen in sleeping area |
| Rooflight, 280 x 280 mm, with flyscreen in washroom |
| One-piece entrance door, extra wide, with triple-point locking, window, waste bin, compartments and pleated fly screen on the inside of the door frame |
| Grab handle |
| Entrance step |
| Integrated awning rail |
| Awning rail rain deflector, above front & rear windows |
| Wheel arches, thermally insulated |
| Wheel arch spat with integrated channel rail for draught skirt |
| LED awning light |
| Gas box |
| THETFORD Locker door with center lock, lockable |

Living area

Metal lift table leg

Wardrobe with LED lighting

Wall units with plenty of storage space and soft-close doors

Storage compartment under seating area

Furniture finish

Ashai Ash / Magnolia

Upholstery combinations

Torino

Kitchen

Dometic Super Slim Tower refrigerator, 150 litres, incl. removable 15-litre freezer compartment

Stainless steel hob / sink combination with 3-burner hob, electric ignition and split glass cover

Spice racks in kitchen wall unit

Generously sized, fully-extendable drawers with soft-close and push lock mechanisms

Kitchen splashback with fully integrated blind and fly screen, LED kitchen light, 230-volt plug sockets, storage shelves and USB charging socket

Cutlery drawer insert

Towel rail

Sleeping area

Single beds

Double bed

Sprung mattresses on single, double and island beds

Bed lift for slatted frame, manual lift (no gas strut)

Bathroom

Rear washroom with separate shower cubicle, design dependent on model

Swivel toilet THETFORD

Hinged window with frosted glass effect

Water / gas / electricity

Waste water tank, 24 litres, with wheels

Fresh water tank, 50 litres

Submersible pump

Gas regulator with over-pressure protection (DIN EN 12 864) and pipe connection

Gas shut off valves in kitchen unit

Control panel for lighting system and water level indicator

Separate light switch for children

Electronically controlled 12-volt / 350 VA power supply

Earth fault circuit breaker

External socket, incl. 230-volt output, satellite & TV connection

Aerial socket with co-axial cable in living area

13-pin towing vehicle connector JAEGER

Lighting

Ambient lighting, design dependent on model

Swan neck lamps in seating area

Swan neck lamps in sleeping area

LED lighting in washroom

Heating / Air conditioning

Heating system TRUMA S-3004 with blown air (12volt fan)

TRUMA Therme 5 litre water heater

Barge board ventilation system for seating area, lockers and beds

Chassis/Safety

Spare wheel with holder instead of tyre repair set, underfloor mounting 26,0 kg

Stabilisation system KNOTT ETS Plus 5,7 kg

WINTERHOFF ?ROBSTOP? Hitchlock 3,0 kg

Load up-/downrating

Increased load capacity to 1.550 kg, without technical change

Increased load capacity to 1.600 kg, single axel units up to Model 560

Increased load capacity to 1.500 kg, single axle units up to Model 560 29,0 kg

Rims

Alloy rims, silver, up to Model 560

Alloy rims, black, polished, up to Model 560

Body

Roof mounted awning THULE OMNISTOR 6200, length 400 cm, pull-out depth 250 cm 32,0 kg

A frame bicycle rack THULE for 2 bicycles, max. payload 60 kg 10,0 kg

Rear bicycle rack THULE for 2 bicycles, max. payload 40 kg 7,5 kg

Living area

Fixed table with single leg 8,0 kg

Romovable habitation carpets 10,0 kg

Upholstery combinations

Taiga

Patch

Avus

Jawa

Kentucky

Vermont

Capri

Kitchen

Oven THETFORD with electric ignition and interior light, 36 litres 15,0 kg

Extractor hood DOMETIC incl. Hobby 10-stage speed control 3,0 kg

DOMETIC 20 litre Microwave 12,0 kg

Sleeping area

Cold-foam mattress, 7-zones and slatted bed base for single beds 2,9 kg

Bedspread 1,5 kg

Bathroom

Window blind incl. Fly screen for washroom 1,5 kg

Water / gas / electricity

| | |
|---|---------|
| TFT control panel for lighting system and tank, incl. CI-BUS | 0,1 kg |
| 7 / 13-Pin adapter for tow vehicle electrics | 0,3 kg |
| City water connection (fixed water connection) | 0,5 kg |
| External Gas Connection | 1,5 kg |
| TRUMA "electro boiler"- 14 litres, only in conjunction with 50-litre water tank (locker door can be removed) | 15,0 kg |
| 12v Battery system incl. battery charger with booster, battery, battery sensor and battery case | 29,0 kg |
| Wiring for 12v battery system incl. charger with booster, battery sensor and battery case (Battery not included- dealer supply) | 2,8 kg |
| Hobby-Connect, remote control for on-board technology using app | 0,6 kg |
| Wireless remote control for the lighting system with one handset | 0,3 kg |
| Smoke detector | 0,2 kg |
| Dual USB charger socket | |
| Heating / Air conditioning | |
| Heating system Truma Combi 6 (Gas only), instead of S heater | 3,7 kg |
| Heating system TRUMA Combi 6 E, instead of S heater | 4,8 kg |
| TRUMA Ultraheat - additional electric heater for S heaters incl. CI-BUS | 2,0 kg |
| Underfloor heating up to Model 540 | 4,0 kg |
| Heating system TRUMA ISOTHERM up to 540 | 3,0 kg |
| ALDE COMPACT 3020 HE- Wet heating and hot water system- incl. CI-BUS | 41,5 kg |
| Roof-mounted air conditioning unit DOMETIC FreshJet incl. CI-BUS, with heating function, without lighting, 2,2 KW | 32,0 kg |
| Pre wired for roof-mounted air conditioning unit | 1,5 kg |
| Multimedia | |
| Articulated TV bracket incl. required connections, without video cables (Cinch) | 2,0 kg |
| Sattelite system KATHREIN CAP 650 inc. TWIN-LNB | 15,0 kg |
| Aerial TV mast TELECO | 0,9 kg |
| Soundsystem BLAUPUNKT with DAB+ | 12,5 kg |