



| | |
|--------------------------------------|----------|
| Overall length | 6.706 mm |
| Technically permissible gross weight | 1.350 kg |
| Total width | 2.200 mm |
| Bed spaces for adults | 3 |
| Bed spaces for children | 0 |

 Refrigerator

Technical data

| | 470 UL |
|---|-----------------------------|
| Number of axles | 1 |
| Tyre size | 195 / 70 R 14 XL |
| Overall length | 6.706 mm |
| Body length | 5.516 mm |
| Overall width / internal width | 2.200 / 2.072 mm |
| Overall height / Interior headroom | 2.617 / 1.950 mm |
| Maximum technically permissible laden mass (MTPLM) | 1.350 kg |
| Mass in running order (MIRO) | 1.186 kg |
| Payload | 164 kg |
| Minimum pay load | 85 kg |
| Technically possible load uprated to | 1.500 kg |
| Payload after maximum load uprating | 302 kg |
| Technically possible load downrated to | 1.300 kg |
| Body wall thickness (floor / roof / wall) | 37 / 31 / 31 mm |
| Awning Size- A measurement | 9.290 mm |
| Number of berths (adult / child) | 3 |
| Bed size, single beds (length x width) | 1.970 x 770; 1.870 x 770 mm |
| Bed size, after converting dinette seating (length x width) | 1.938 x 1.188 / 1.122 mm |
| 12v Battery system | Front left |
| Roof-mounted air conditioning unit | Seating area |
| TV bracket | Sideboard |
| Fresh water tank, city water connection, optional | Front left |

| | |
|---|---------------------|
| External Gas Connection | Front right |
| External socket | Front right |
| Sound system (loudspeaker-pair 1 / -pair 2 / radio) | Rear / front / rear |
| THETFORD Locker door with center lock, lockable | Front right |
| Number of 230-volt plug sockets (single / double) | 3 / 2 |

HobbyKomplett

Chassis/Safety

Stabiliser hitch WINTERHOFF WS 3000

Overrun brake KNOTT ANS with automatic adjustment

Jockey wheel

A frame cover

One-key locking system

Integrated 3rd brake light

Rear Fog light

Wheel shock absorbers

Puncture repair Kit

Heavy-duty corner steadies

Load indicator on jockey wheel

Licensed for up to 100kph

Load up-/downrating

Chassis 1.350 kg

Rims

Steel rims, silver, with wheel trims

Window

Hinged window, double-glazed and tinted

Combi-cassette blinds with roller flyscreen for all windows (except washroom)

Body

Rooflight DOMETIC-SEITZ Midi-Heki 700 x 500 mm with pleated blind and flyscreen in living area

Rooflight DOMETIC-SEITZ Mini-Heki 400 x 400 mm with pleated blind and flyscreen in sleeping area

Rooflight, 400 x 400 mm, with fly screen in washroom

One-piece entrance door, extra wide, with triple-point locking, window, waste bin, compartments and pleated fly screen on the inside of the door frame

Grab handle

Entrance step

Integrated awning rail

Awning rail rain deflector, above front & rear windows

Wheel arches, thermally insulated

Wheel arch spat with integrated channel rail for draught skirt

LED awning light

Gas box

THETFORD Locker door with center lock, lockable

Living area

Metal lift table leg

Wardrobe with LED lighting

Wall units with plenty of storage space and soft-close doors

Storage compartment under seating area

Furniture finish

Cocobolo / Piquet Grey

Upholstery combinations

Taiga

Kitchen

DOMETIC Refrigerator, 96 litres, incl. 9-litre freezer compartment

Stainless steel hob / sink combination with 3-burner hob, electric ignition and split glass cover

Generously sized, fully-extendable drawers with soft-close and push lock mechanisms

Kitchen blind with built-in plug sockets and LED light

Cutlery drawer insert

Sleeping area

Single beds

Sprung mattresses on single, double and island beds

Bed lift for slatted frame, manual lift (no gas strut)

Bathroom

Compact washroom with washbasin and toilet, design dependent on model

Cassette toilet THETFORD

Water / gas / electricity

Waste water tank, 24 litres, with wheels

Fresh water tank, 25 litres

Submersible pump

Gas regulator with over-pressure protection (DIN EN 12 864) and pipe connection

Gas shut off valves in kitchen unit

Control panel for lighting system and water level indicator

Separate light switch for children

Electronically controlled 12-volt / 350 VA power supply

Earth fault circuit breaker

Aerial socket with co-axial cable in living area

13-pin towing vehicle connector JAEGER

Lighting

Corner shelves with lighting in seating area, design dependent on model

LED Reading lights that change colour, can be dimmed in three stages, in seating area

Swan neck lamps in sleeping area

Heating / Air conditioning

Heating system TRUMA S-3004 with blown air (12volt fan)

TRUMA Therme 5 litre water heater

Barge board ventilation system for seating area, lockers and beds

| Chassis/Safety | |
|---|---------|
| Spare wheel with holder instead of tyre repair set, underfloor mounting | 26,0 kg |
| Stabilisation system KNOTT ETS Plus | 5,7 kg |
| WINTERHOFF ?ROBSTOP? Hitchlock | 3,0 kg |
| Load up-/downrating | |
| Reduced load capacity to 1.300 kg, without technical change | |
| Increased load capacity to 1.500 kg, single axle units up to Model 560 | 11,7 kg |
| Rims | |
| Alloy rims, silver, up to Model 560 | |
| Alloy rims, black, polished, up to Model 560 | |
| Window | |
| Front window with fully integrated pleated window blind and fly screen | 11,3 kg |
| Body | |
| Roof mounted awning THULE OMNISTOR 6200, length 350 cm, pull-out depth 250 cm | 30,0 kg |
| A frame bicycle rack THULE for 2 bicycles, max. payload 60 kg | 10,0 kg |
| Rear bicycle rack THULE for 2 bicycles, max. payload 40 kg | 7,5 kg |
| Living area | |
| Fixed table with single leg | 8,0 kg |
| Removable habitation carpets | 10,0 kg |
| Upholstery combinations | |
| Patch | |
| Avus | |
| Torino | |
| Jawa | |
| Kentucky | |
| Vermont | |
| Capri | |
| Kitchen | |
| Oven THETFORD with electric ignition and interior light, 36 litres | 15,0 kg |
| Extractor hood DOMETIC incl. Hobby 10-stage speed control | 3,0 kg |
| DOMETIC 20 litre Microwave | 12,0 kg |
| Sleeping area | |
| Bed extension for single beds incl. additional cushion | 5,0 kg |
| Cold-foam mattress, 7-zones and slatted bed base for single beds | 2,9 kg |
| Bedspread | 1,5 kg |
| Water / gas / electricity | |
| Fresh water tank, 50 litres | 28,0 kg |
| TFT control panel for lighting system and tank, incl. CI-BUS | 0,1 kg |
| External socket, incl. 230-volt output, satellite & TV connection | 0,4 kg |
| 7 / 13-Pin adapter for tow vehicle electrics | 0,3 kg |
| City water connection (fixed water connection) | 0,5 kg |
| External Gas Connection | 1,5 kg |

| | |
|---|---------|
| TRUMA "electro boiler"- 14 litres, only in conjunction with 50-litre water tank (locker door can be removed) | 15,0 kg |
| 12v Battery system incl. battery charger with booster, battery, battery sensor and battery case | 29,0 kg |
| Wiring for 12v battery system incl. charger with booster, battery sensor and battery case (Battery not included- dealer supply) | 2,8 kg |
| Hobby-Connect, remote control for on-board technology using app | 0,6 kg |
| Wireless remote control for the lighting system with one handset | 0,3 kg |
| Smoke detector | 0,2 kg |
| Dual USB charger socket | |
| Lighting | |
| Ambient lighting, design dependent on model | 0,3 kg |
| Heating / Air conditioning | |
| Heating system TRUMA VarioHeat Comfort, 3,7 kw | 1,2 kg |
| TRUMA Ultraheat - additional electric heater for S heaters incl. CI-BUS | 2,0 kg |
| Underfloor heating up to Model 540 | 4,0 kg |
| Heating system TRUMA ISOTHERM up to 540 | 3,0 kg |
| Roof-mounted air conditioning unit DOMETIC FreshJet incl. CI-BUS, with heating function, without lighting, 2,2 KW | 32,0 kg |
| Pre wired for roof-mounted air conditioning unit | 1,5 kg |
| Multimedia | |
| Articulated TV bracket incl. required connections, without video cables (Cinch) | 2,0 kg |
| Sattelite system KATHREIN CAP 650 inc. TWIN-LNB | 15,0 kg |
| Soundsystem BLAUPUNKT with DAB+ | 12,5 kg |

Impressions

