



# ONTOUR 390 SF



Overall length	5.784 mm
Total width	2.200 mm
Technically permissible gross weight	1.200 kg



## TECHNICAL DATA

Model	390 SF	Body wall thickness (floor / roof / wall)	37 / 31 / 31 mm
Number of axles	1	Awning circumference	8.360 mm
Tyre size	195 / 70 R 14 XL	Number of berths (adults / children)	4
Overall length	5.784 mm	Bed size, double bed (length x width)	1.970 x 1.280 mm
Body length	4.590 mm	Bed size, seating area bed conversion (length x width)	1.940 x 1.350 / 930 mm
Overall width / Inside width	2.200 / 2.072 mm	Autonomy package	Front left
Overall height / Interior headroom	2.628 / 1.950 mm	Roof-mounted air conditioning unit	Rear
Maximum technically permissible laden mass	1.200 kg	TV bracket	Seating area / washroom
Mass in running order	1.014 kg	Fresh water tank; city water connection, optional	Front left
Payload	186 kg	External gas socket	Front right
Technically possible increase in load capacity to	1.500 kg	Exterior awning socket	Centre right
Payload after maximum increase in load capacity	473 kg	Locker door THETFORD with central locking, 752 x 310 mm, lockable	Front right
Technically possible decrease in load capacity to	1.150 kg	Number of 230 V power sockets (single / double)	3 / 2

## HOBBYKOMPLETT

**Body:** Rooflight DOMETIC SEITZ, Micro-Heki 280 x 280 mm, with pleated blind and fly screen in washroom, Rooflight DOMETIC SEITZ, Midi-Heki 700 x 500 mm, with pleated blind and fly screen in living area, One-piece entrance door, extra wide with triple-point locking, window, waste bin, compartments and pleated insect screen in door frame, design dependent on model, Entrance step, Integrated awning rail, Awning rail rain deflector with water drainage, front / rear, Wheel arches, thermally insulated, Wheel arch guard with rubber lip for draught skirt, LED awning light, Gas locker, accommodates 2 x 11 kg bottles, Locker door THETFORD with central locking, 752 x 310 mm, lockable | **Chassis / Safety:** Stabiliser hitch KNOTT, Overrun brake KNOTT ANS with automatic adjustment, Jockey wheel, Drawbar cover, One-key locking system, Integrated 3rd brake light, Rear fog light, Wheel shock absorbers, Tyre repair set, Heavy-duty supports, Load indicator on the jockey wheel, Licensed for up to 100 kph | **Wheel Rims:** Steel rims, silver with wheel covers | **Windows:** Hinged window, can be opened, double-glazed and tinted, Combi Cassette with pleated blind and fly screen, for all windows (excluding washroom) | **Living area:** Hook-on table, Wardrobe with interior light, Wall units with plenty of storage space and soft-close doors |

**Living area:** Compartment under seating area | **Furniture finish:** Cocobolo / Piquet Grey | **Upholstery combinations:** Taiga | **Kitchen:** Refrigerator DOMETIC, 96 litres, including 9-litre freezer compartment, Stainless steel hob / sink combination with 3-burner hob, electric ignition and split glass cover, Drawers, generously sized, fully extendable, with soft-close and push lock mechanisms, Kitchen window roller blind with integrated power sockets and kitchen light, Cutlery insert | **Sleeping area:** Double bed, Sprung mattresses on single, double and queen-size beds, Bed lift for slatted frame with gas spring for double beds and queen-size beds | **Washroom:** Compact washroom with washbasin and toilet, design dependent on model, Cassette toilet THETFORD | **LED lighting:** Swan neck lamps in seating area, Swan neck lamps in sleeping area | **Heating / air conditioning:** Heating system TRUMA S-3004 with warm air unit and 12 V fan, Boiler TRUMA for hot water supply, Winter vents for seating area, lockers and beds | **Water / gas / electricity:** Waste water tank, 23.5 litres, rollable, Fresh water tank, 25 litres, Submersible pump, Gas regulator with over-pressure protection (DIN EN 12 864) and hose line, Gas control taps in kitchen unit, Control panel for lighting system and tank display, Light switch for children, Electronically controlled 12 V / 350 VA power supply, Ground fault circuit breaker, Antenna

socket with co-axial cable in living area, Passenger vehicle  
connector JAEGER, 13-pole, Smoke alarm |

## Body

Roof awning THULE OMNISTOR 6300, width 260 cm, pull-out depth 200 cm	23 kg
Rear lights with dynamic indicator	1 kg
Bicycle rack THULE, for drawbar, 2 bicycles, loading capacity 60 kg	10 kg
Bicycle rack THULE, for rear, 2 bicycles, loading capacity 40 kg	7,5 kg

## Water / gas / electricity

Carbon monoxide detector	0,5 kg
Gas pressure regulator TRUMA DuoControl including automatic changeover, crash sensor and gas filter	2,2 kg
Fresh water tank, 47 litres	28 kg
Exterior awning socket, including 230 V output, satellite / TV connection	0,4 kg
Adapter 7/13-pole for passenger vehicle connecting cable	0,3 kg
City water connection	0,5 kg
External gas socket	1,5 kg
Electric boiler TRUMA, 14 litres (locker door can be removed)	15 kg
Water pump with additional switch	0,4 kg
Autonomy package including charge controller with booster, battery, battery sensor and battery case	29 kg
Pre wiring for autonomy package including charge controller with booster, battery sensor and battery case	2,8 kg
Wireless remote control for the lighting system with one handset	0,3 kg
Dual USB charging socket	

## Smart Home

HOBBY CONNECT, controls for on-board technology via TFT control panel and Bluetooth using app	0,1 kg
HOBBY-CONNECT+, remote control for on-board technology via mobile communications using app	0,6 kg

## Chassis / Safety

Hitch lock anti-theft device KNOTT "KS 25"	0,3 kg
Spare wheel with holder, instead of tyre repair set, underfloor mounting	26 kg
Stabilisation system KNOTT ETS Plus	5,7 kg

## Upholstery combinations

Taiga including rose/yellow decorative set	1,3 kg
--	--------

## Wheel Rims

Alloy rims silver, up to model 560

Alloy rims black, polished, up to model 560

## Windows

Front window with fully integrated pleated blackout blind and insect screen **11,3 kg**

## Living area

Carpet in the living area, removable **10 kg**

## Kitchen

Extractor hood DOMETIC including Hobby 10-stage speed control **3 kg**

## Sleeping area

Bedspread **1,5 kg**

## LED lighting

Ambient lighting, design dependent on model **0,3 kg**

## Heating / air conditioning

Auxiliary electric heater TRUMA Ultraheat including CI-BUS **2 kg**

Underfloor heating up to model 540 **4 kg**

Roof-mounted air conditioning unit DOMETIC FreshJet including CI-BUS, with heating function, without lighting,  
2.2 KW **32 kg**

Pre wiring for roof-mounted air conditioning unit **1,5 kg**

## Multimedia

Articulated TV bracket including required connections, without video cables (Cinch) **2 kg**

TV aerial mast TELECO **0,9 kg**